




Features

- PCI-Express specification Rev. 3.0 compliant
- PCIe x4 to M.2 pass-through design
- Supports M.2 Key-M
2221/2230/2242/2260/2280/22110
- Low profile PCIe Express form factor
- Supports wide temperature
- Industrial design. Manufactured in Innodisk Taiwan

Mechanical Drawing



Specifications

Headquarters (Taiwan)

5F., No. 237, Sec. 1, Datong Rd.,
Xizhi Dist., New Taipei City 221,
Taiwan
Tel: +886-2-77033000
Email: sales@innodisk.com

Branch Offices:

USA

usasales@innodisk.com
+1-510-770-9421

Europe

esusales@innodisk.com
+31-40-3045-400

Japan

jpsales@innodisk.com
+81-3-6667-0161

China

sales_cn@innodisk.com
+86-755-21673689

Form-Factor	Low profile PCIe
Input I/F	PCIe 3.0 x4
Output I/F	PCIe 3.0 x4
Output Connector	M.2 Key-M x 1
Dimension (WxLxH)	143.3 x 68.9 x 5.65mm
Temperature	Operation: WT: -40°C ~ +85°C Storage: -55°C ~ +95°C
Environment	Vibration: 5G @7~2000Hz, Shock: 50G @ 0.5ms
Notes	

Order information

ELPP-0102-W1
PCIe to M.2 Module

www.innodisk.com

© 2017 Innodisk Corporation.
All right reserved. Specifications
are subject to change without
prior notice.

April 6, 2017